



Smarter Shades for
a Connected World.

TOP REVE

SLEEK COLLECTION

TOP REVE

SLEEK COLLECTION



WIDTH	110" (280 CM)
COMPOSITION	100% Polyester
STANDARD ROLL LENGTH	43.70 LY (40m)
WEIGHT	4.72 oz/yd2 (160 g/m2) +/- 5%
THICKNESS	0.0161" (0.41mm) +/- 5%
COLOR FASTNESS TO LIGHT	4 - 5 DIN ISO 105-B02
FIRE CLASSIFICATIONS	N/A
ANTI-MICROBIAL	N/A
ENVIRONMENTAL	REACH
ACOUSTIC PERFORMANCE	N/A
CUTTING	Ultrasonic
CARE INSTRUCTIONS	Do not allow dust to accumulate. Regularly vacuum gently or use compressed air. Use damp cloth only, do not allow shade to become fully wet. Do not scrub. Test in inconspicuous area with mild detergent prior to spot cleaning. Do not dry clean. Warm iron, if necessary.



**FADE
RESISTANT**



PVC FREE
ENVIRONMENTALLY
FRIENDLY



LEAD FREE
RoHS
COMPLIANT



**FLAME
RETARDANT**



**ROLL-A-SHADE®
WARRANTY**



PROTECTION



TOP SWING

SLEEK COLLECTION

TOP SWING

SLEEK COLLECTION



WIDTH	110" (280 CM)
COMPOSITION	100% Polyester
STANDARD ROLL LENGTH	43.76 LY (40m)
WEIGHT	6.19 oz/yd ² (210 g/m ²) +/- 5%
THICKNESS	0.015" (0.38mm) +/- 5%
COLOR FASTNESS TO LIGHT	>4 DIN ISO 105-B02
FIRE CLASSIFICATIONS	N/A
ANTI-MICROBIAL	N/A
ENVIRONMENTAL	REACH
ACOUSTIC PERFORMANCE	N/A
CUTTING	Ultrasonic
CARE INSTRUCTIONS	Do not allow dust to accumulate. Regularly vacuum gently or use compressed air. Use damp cloth only, do not allow shade to become fully wet. Do not scrub. Test in inconspicuous area with mild detergent prior to spot cleaning. Do not dry clean. Warm iron, if necessary.



**FADE
RESISTANT**



PVC FREE
ENVIRONMENTALLY
FRIENDLY



LEAD FREE
RoHS
COMPLIANT



**FLAME
RETARDANT**



**ROLL-A-SHADE®
WARRANTY**



PROTECTION